



STAND BEHIND YOUR WORK™

**MORE SPEED,
SMALLER
FOOTPRINT**
**JWS-20CS
20" SHAPER**



WWW.JETTOOLS.COM



THE MOST ROBUST MID-SIZED SHAPING SOLUTION ON THE MARKET

The next generation of JET shaping is here.


We stepped up our previous shaper model with a more robust design that includes more speed and durability. With 12.5% more spindle speed (at 8000-1000RPM), this reengineered solution guarantees to take your shop to the next level. Its compact, versatile design is perfect for shops where space is premium; however, we sacrificed no power with our well-known and highly reliable 1.5 horsepower motor woodworking enthusiasts have come to love.

COMPACT

- Compact footprint to add value in any workshop when space is at a premium

ROBUST

- Powerful 1-1/2 HP motor featuring a 8000 and 1000 RPM reversible spindle speeds



INDEPENDENT LEFT AND RIGHT FENCES HAVE MICRO-ADJUSTMENT AND ZERO-CLEARANCE CAPABILITY



FORWARD/REVERSE SWITCH FOR LEFT AND RIGHT HAND OPERATION



1/2" AND 3/4" INTERCHANGEABLE SPINDLES AND ROUTER BIT COLLETS



TWO ADJUSTABLE WORK HOLD-DOWNS



BUILT IN 4" DUST PORT

JWS-20CS 20" SHAPER

VERSATILITY

- Powerful 1-1/2HP motor delivers dependable power, even on heavy jobs
- Independent left and right fences feature micro-adjustment and have zero-clearance capability
- Extra-large handwheel is conveniently located for fast, easy, and accurate spindle height adjustments
- 1/2" and 3/4" interchangeable spindles and router bit collets for use with shaper cutter and router bits

DURABILITY

- Fully enclosed, heavy-duty steel stand has a removable cover for easy motor access

SAFETY

- Forward/reverse switch for left and right hand operation
- Two adjustable work hold-downs to secure your work while shaping



ACCESSORY PACKAGE	QTY
Dust Chute	1
Miter Gauge	1
Draw Bar & Nut	1
1/2" Spindle Assembly	1
3/4" Spindle Assembly	1
1/4" Router Collet	1
1/2" Router Collet	1
Arbor Wrench	1
3mm Hex Key Wrench	1
12mm / 14mm Open End Wrench	1

BACKED BY A 5-YEAR WARRANTY



- R RELIABILITY**
U.S. Customer Service
Industry-Leading Warranties
- E EXPERTISE**
U.S. Tech Support
Authorized Service Centers
throughout the U.S.
- D DEPENDABILITY**
Extensive Online Resources
40,000+ Unique Parts In Stock

STOCK NO.	JT9-724020
Model Number	JWS-20CS
Cutterhead Speed (reversible)	8,000 & 10,000 RPM
Table Size	18" (L) x 20" (W)
Table Slot	3/4" x 3/8" T-slot
Table Opening Diameter	5-3/16"
Insert Opening Diameter	1-5/8" and 3"
Fence Size (2)	10" x 3"
Spindle Capacity	1/2" and 3/4"
Router Bit Collet Capacity	1/4" and 1/2"
Under Nut Capacity	1/2" Spindle: 2-3/4 ; 3/4" Spindle: 3
Spindle Travel	2"
Table Height	33-1/2"
Overall Dimensions	18" L x 20" W x 42" H
Dust Chute Diameter	4"
Motor	TEFC, 1-1/2 HP, 1Ph, 115/230V (prewired 115V), 15/7 5 A, 60Hz
Net Weight (approx.)	201 lbs
Shipping Weight (approx.)	226 lbs
Tools Required for Assembly	3mm Angle Wrench, 12mm / 14mm Wrench

OPTIONAL EQUIPMENT

JT9-724021	Extension Table
------------	-----------------